



ELECTRORED

Bolivia S.R.L.

SIRENA S.p.A.

BALIZA ROTATIVA SIRENA



CODIGO	COD.FABRICA
9261 IP44-180R	26421
9262 IP44-180R	26422
9263 IP44-180R	26423

BA 15s 25W LR BA 15s 25W	V \equiv	12	24	-	-
	V \sim	12	24	110	240
	A	"2.2"	1.1	0.22	0.11

BALIZA ROTATIVA SIRENA



CODIGO	COD.FABRICA
9264 RAPBL12D2	63002
9265 RAPBL12D3	63003
9266 RAPBL240A1	63049
9267 RAPBL240A2	63050
9268 RAPBL240A3	63051

V 12-24-48-110-240 ($\pm 10\%$)	\equiv	\sim 50/60 Hz	r.p.m. 160 ± 30	IP 65
H1: 12-24				
$^{\circ}\text{C}$ -30 +50	On \rightarrow	M 16	1 2 3 4 5 6	PC AUTOEXTINGUIBLE

BA 15s 45W LR BA 15s 45W E 14 25W LR E 14T 25W	V \equiv	12	24	48	-	-	-	H1 12V 55W LR H 55W 12 H1 24V 70W LR H 70W 24	V \equiv	12	24
	V \sim	12	24	-	48	110	240		V \sim	12	24
	A	4	2.1	1	0.74	0.31	0.15		A	4.8	3.1
	Cd (p)	6500	6500	6500	600	400	400		Cd (p)	10000	10000

BALIZA ROTATIVA SIRENA



CODIGO	COD.FABRICA
9269 RAALBL12D2	82200
9270 RAALBL12D3	82203
9271 RAALBL240A1	82241
9272 RAALBL240A2	82240
9273 RAALBL240A3	82243

V 12-24-48-110-240 ($\pm 10\%$)	\equiv	\sim 50/60 Hz	r.p.m. 160 ± 30	IP 65
H1: 12-24				
$^{\circ}\text{C}$ -30 +50	On \rightarrow	M 16	1 2 3 4 5 6	PC AUTOEXTINGUIBLE


BA 15s 45W LR BA 15s 45W E 14 25W LR E 14T 25W	V \equiv	12	24	48	-	-	-	H1 12V 55W LR H 55W 12 H1 24V 70W LR H 70W 24	V \equiv	12	24
	V \sim	12	24	-	48	110	240		V \sim	12	24
	A	4	2.1	1	0.74	0.31	0.15		A	4.8	3.1
	Cd (p)	6500	6500	6500	600	400	400		Cd (p)	10000	10000

BALIZA ROTATIVA INTERMITENTE



CODIGO	COD.FABRICA
9274 IP55-200R	26392
9275 IP55-200R	26393

H1 12V 55W LR H 55W 12 H1 24V 70W LR H 70W 24	V \equiv	12	24	H1 12V 55W LR H 55W 12	V \sim	110	240
	V \sim	12	24		A	0.5	0.22
	A	4.8	3.1				



electrored.com.bo

[electroredbolivia](https://www.facebook.com/electroredbolivia)

[@electroredsrll](https://www.twitter.com/electroredsrll)

Pag. 1

LA PAZ:
Av. I. de las Muñecas N° 494
entre Pando y Viacha
Central Piloto: (591-2) 2462046
electroredlp@electrored.com.bo

SANTA CRUZ:
Av. Sta. Cruz N° 262
entre Charcas y Puerto Suarez
Central Piloto: (591-3) 3368888
electroredsc@electrored.com.bo

COCHABAMBA:
C. Tumusla N° 36
entre Heroínas y Colombia
Central Piloto: (591-4) 4583221
electroredcbb@electrored.com.bo

EL ALTO:
Calle 1 N° 3760 entre Av. 6 de Marzo
y Evadidos del Paraguay
Central Piloto: (591-2) 2821322
electroreddea@electrored.com.bo

BALIZA INTERMITENTE SIRENA



V	12÷48	24÷240	~ (±10%)	50/60 Hz	Flash/min.110±20
H1:	12-24				
IP	54	°C -30 +50	On	1 2 3 4 5 6	PC AUTOEXTINGUIBLE

CODIGO	COD.FABRICA
9276	MFNLMT1248D2 • 89172
9277	MFNLMT1248D3 • 89173
9278	MFNLMT24240A1 • 89181
9279	MFNLMT24240A2 • 89182
9280	MFNLMT24240A3 • 89183

BA 15d 25W LR BA 15d 25W	V	12 ÷ 24 ÷ 48	-	-	H1 12V 55W LR H 55W 12 H1 24V 70W LR H 70W 24	V	12	24		
	V	-	24 ÷ 48 ÷ 110 ÷ 240			V	12	24		
	A	2.2	1.1	0.52		0.22	0.10	A	4.6	2.9
	Cd (p)	150	200	270		30	45	Cd (p)	600	500

BALIZA INTERMITENTE SIRENA



CODIGO	COD.FABRICA
9281	MAFNLM1248D2 • 89332
9282	MAFNLM1248D3 • 89333
9283	MAFNLM24240A1 • 89341
9284	MAFNLM24240A2 • 89342
9285	MAFNLM24240A3 • 89343

BA 15d 25W LR BA 15d 25W	V	12 ÷ 24 ÷ 48	-	-	H1 12V 55W LR H 55W 12 H1 24V 70W LR H 70W 24	V	12	24		
	V	-	24 ÷ 48 ÷ 110 ÷ 240			V	12	24		
	A	2.2	1.1	0.52		0.22	0.10	A	4.6	2.9
	Cd (p)	135	140	140		20	30	Cd (p)	350	350

BALIZA INTERMITENTE SIRENA



V	12÷48	24÷240	~ (±10%)	50/60 Hz	Flash/min.110±20
H1:	12-24				
IP	65	°C -30 +50	On	1 2 3 4 5 6	PC AUTOEXTINGUIBLE

CODIGO	COD.FABRICA
9286	LAALBLMT1248D2 • 89492
9287	LAALBLMT1248D3 • 89493
9288	LAALBLMT24240A1 • 89511
9289	LAALBLMT24240A2 • 89512
9290	LAALBLMT24240A3 • 89513

BA 15d 40W LR BA 15d 40W	V	12 ÷ 24 ÷ 48	-	-	H1 12V 55W LR H 55W 12 H1 24V 70W LR H 70W 24	V	12	24		
	V	-	24 ÷ 48 ÷ 110 ÷ 240			V	12	24		
	A	3.4	1.7	0.83		0.36	0.17	A	4.6	2.9
	Cd (p)	800	1000	800		75	150	Cd (p)	800	800

BALIZA FIJA SIRENA



CODIGO	COD.FABRICA
9291	FSTLN240DA3 • 81599

BA 15s 45W LR BA 15s 45W E14 40W LR E14S 40W	V	12	24	48	-	-	H1 12V 55W LR H 55W 12 H1 24V 70W LR H 70W 24	V	12	24
	V	12	24	48	110	240		V	12	24
	A	3.8	1.9	0.9	0.36	0.17		A	4.6	2.9
	Cd (p)							Cd (p)		

BALIZA FIJA SIRENA



V	12÷48	24÷240	~ (±10%)	50/60 Hz	Flash/min.110±20
H1:	12-24				
IP	54	°C -30 +50	On	1 2 3 4 5 6	PC AUTOEXTINGUIBLE

CODIGO	COD.FABRICA
9292	FSTLN240A2 • 81613
9293	FSTLN240A3 • 81616

BA 15s 45W LR BA 15s 45W E14 40W LR E14S 40W	V	12	24	48	-	-	H1 12V 55W LR H 55W 12 H1 24V 70W LR H 70W 24	V	12	24
	V	12	24	48	110	240		V	12	24
	A	3.8	1.9	0.9	0.36	0.17		A	4.6	2.9
	Cd (p)	600	450	300	250	250		Cd (p)	1100	1100

BALIZA FIJA SIRENA



CODIGO	COD.FABRICA
9294	MAFNMT12240DA2 • 89272
9295	MAFNMT12240DA3 • 89273

BA 15d 25W LR BA 15d 25W	V	12 ÷ 24 ÷ 48 ÷ 110 ÷ 240					H1 12V 55W LR H 55W 12 H1 24V 70W LR H 70W 24	V	12	24
	V	-	24 ÷ 48 ÷ 110 ÷ 240					V	12	24
	A	2.1	1.1	0.52	0.22	0.10		A	4.6	2.9
	Cd (p)	135	140	140	20	30		Cd (p)	350	350

BALIZA FIJA SMD SIRENA



CODIGO	COD.FABRICA
9296	38622
9297	38623

BA 15d 5W LR BA 15d 5W	V	12 ÷ 24 ÷ 48 ÷ 110 ÷ 240				
		mA				
		415	210	105	45	21

SIRENA MINI CELERE

V12-24-48-110-240 (±10%)		50/60 Hz	On:1 min. Off:10 min. (BA=On>>-)
AUTOEXTINGUIBLE	IP 43		
		°C -30 +40	M 12



CODIGO	COD.FABRICA
9298 MCL12DA	42000
9299 MCL240DA	42005

V	12	24	48	110	240	V	12	24
A	2.7	1.47	0.85	0.37	0.22	A	1.3	0.55
dB(A)1m	88	94	100	96	101	dB(A)1m	97	100
Hz	1020	1350	1520	1450	1730	Hz	1200	1300
On:1 min. Off:10 min.							On ∞	

SIRENA CELERE



CODIGO	COD.FABRICA
9300 CL12DA	42020
9301 CL240DA	42025

V	12	24	48	110	240	V	12	24
A	9.2	7.8	3.6	0.92	0.65	A	2.5	1.1
dB(A)1m	100	109	108.5	104.5	110	dB(A)1m	103	103
Hz	1020	1380	1410	1060	1430	Hz	950	950
On:1 min. Off:10 min.							On ∞	

SIRENA SUPER CELERE



CODIGO	COD.FABRICA
9302 SCL12DA	42040
9303 SCL240DA	42045

V	12	24	48	110	240	V	12	24
A	13.5	7	6	1.7	1.2	A	9.5	5.0
dB(A)1m	111	112	113.5	111.5	113.5	dB(A)1m	114	114
Hz	800	900	1060	970	1120	Hz	820	820
On:1 min. Off:10 min.							On ∞	

SIRENA MINI CELEREST



CODIGO	COD.FABRICA
9304 MCT12DA	42060
9305 MCT240DA	42065

V	12	24	48	110	240	V	12	24
A	2.7	1.47	0.85	0.37	0.22	A	1.3	0.55
dB(A)1m	96	97	97	95	97	dB(A)1m	92	95
Hz	1600	1600	1650	1500	1700	Hz	1200	1300
On:1 min. Off:10 min.							On ∞	

SIRENA CELEREST



CODIGO	COD.FABRICA
9306 CT12DA	42080
9307 CT240DA	42085

V	12	24	48	110	240	V	12	24
A	9.2	7.8	3.6	0.92	0.65	A	2.5	1.1
dB(A)1m	104	106	106	106	107	dB(A)1m	100	100
Hz	1150	1250	1350	1300	1400	Hz	950	950
On:1 min. Off:10 min.							On ∞	

SIRENA ELECTRONICA

V \sim 12÷24	V \sim 48	V \sim 110	V \sim 240	V \sim (\pm 10%)	50/60 Hz	On
AUTOEXTINGUIBLE	IP $\frac{43}{54}$					°C -30 +50



V \sim	12 ÷ 24	CODIGO	COD.FABRICA
V \sim		9310	SE1230MS51224DA 50405
mA	450 700		
dB(A)1m	Min 102 - Max 114	IP 43	

SIRENA ELECTRONICA

V \sim	12 ÷ 24	-	-	-	CODIGO	COD.FABRICA
V \sim		48	110	240	9311	SE2550MS5240A 50413
A	0.83	1.35	0.47	0.22	0.1	
dB(A)1m	Min 106 - Max 116.5	IP 43				




SIRENA SUPER CELEREST



CODIGO	COD.FABRICA
9308	SCT12DA 42100
9309	SCT240DA 42105

V \sim	12	24	48	110	240	V \sim	12	24
A	9.2	7.8	3.6	0.92	0.65	A	2.5	1.1
dB(A)1m	104	106	106	106	107	dB(A)1m	100	100
Hz	1150	1250	1350	1300	1400	Hz	950	950
On: 1 min. Off: 10 min.						On		



electrored.com.bo

[electroredbolivia](https://www.facebook.com/electroredbolivia)

[@electroredsrll](https://twitter.com/electroredsrll)

Pag. 4

LA PAZ:
Av. I. de las Muñecas N° 494
entre Pando y Viacha
Central Piloto: (591-2) 2462046
electroredlp@electrored.com.bo

SANTA CRUZ:
Av. Sta. Cruz N° 262
entre Charcas y Puerto Suarez
Central Piloto: (591-3) 3368888
electroredsc@electrored.com.bo

COCHABAMBA:
C. Tumusla N° 36
entre Heroínas y Colombia
Central Piloto: (591-4) 4583221
electroredcbb@electrored.com.bo

EL ALTO:
Calle 1 N° 3760 entre Av.6 de Marzo
y Evadidos del Paraguay
Central Piloto: (591-2) 2821322
electroreddea@electrored.com.bo